IA-A-001143

## **Type 1 Facility Closeout Report**

Facility No.

Facility Descriptor:

Project:

Date of Demolition:

Additional Information:

Must include information on environmental releases and conditions of site at turnover to Environmental Restoration)

T900C

Office Trailer/ Surface Water Treatment, 384 square feet

RISS, Area 1 D&D

February 7, 2002

Sold at auction through PU&D. Utilities were removed to three feet below grade in accordance with site configuration control procedures. A map of utility disconnect locations will be maintained and submitted to the AR on project completion. Site

Section B. Final Characterization Data Reconnaissance Level Characterization Report (concurrence received)	Reconnaissance Level Characterization Report for Buildings 125, 763, and Trailer 900C – Concurrence, Steven H. Gunderson to Joseph A. Legare, dated January 32, 2002, attached.
In-process Characterization	NA
Pre-Demolition Survey Report (approval received)	NA
Post-Demolition Survey Report (as necessary)	NA

In-process Characterization	NA
Pre-Demolition Survey Report (approval	l received) NA
Post-Demolition Survey Report (as neces	ssary) NA
Section C. Waste Data (complete cat	egories as appropriate)
Sanitary Disposal	
Disposal Site:	Front Range Landfill, Erie, Colorado
Waste Volume (m <sup>3</sup> ):	0.5 cubic yards
Waste Weight (tons):	0.1 tons
Additional Information:	Miscellaneous debris
Hazardous Disposal Disposal Site: Waste Volume (m³): Additional Information:	
TSCA Waste Disposal Disposal Site: Waste Volume (m³): Additional Information:	
Asbestos Waste Disposal Disposal Site: Waste Volume (m³): Additional Information:	
Low-Level Waste Disposal Disposal Site: Waste Volume (m³): Additional Information:	
Low-Level Mixed Waste Disposal Disposal Site: Waste Volume (m³): Additional Information:	245078970
Recycled Material	
Recycle Facility:	
Waste Volume (m <sup>3</sup> ):	13 NOV 2000 \$\
Additional Information:	AMERICA ST
Property Disposition Receiver Locations (major items only): Volume (m³):	MEXINES CERTIFIED S
	ADMIN RECORD

## **Type 1 Facility Closeout Report**

Weight (tons): Additional Information:			
Section D. Approvals Kaiser-Hill Project Manager	S.m.NEST74 Name/Signature	Smrit	10/31/02 Date



Z

## STATE OF COLC

Bill Owens, Governor

Jane E. Norton, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Denver, Colorado 80246-1530 Phone (303) 692-2000

Laboratory and Radiation Services Division 8100 Lowry Blvd.

TDD Line (303) 691-7700 Located in Glendale, Colorado

http://www.cdphe.state.co.us

Denver, Colorado 80230-6928

(303) 692-3090

Colorado Department of Public Health and Environment

January 22, 2002

Mr. Joseph A Legare Assistant Manager for Environment and Infrastructure U.S. Department of Energy, Rocky Flats Field Office 10808 Highway 93, Unit A Golden, CO 80403-8200

RE: Reconnaissance Level Characterization Report (RLCR) for Buildings 125, 763, and trailer 900C - Concurrence

Dear Mr. Legare:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the RLCR for Buildings 125 and 763, and Trailer 900C, of the Group 10 Closure Project, Revision 0 dated November 14, 2001, which was received on January 10, 2002. Based on the information contained in this RLCR, we are hereby concurring with the Type 1 designation for Buildings 125 & 763, and Trailer 900C.

Although we are concurring with the Type I designation for B125, there remains a concern with the UBC issue identified by ER. The UBC concern, which is identified for mercury, must be resolved prior to demolition, removal, or recycling of the concrete slab. The resolution of this issue may be reached administratively or it may require sampling of the soil and slab. The consultative process should be utilized to resolve this issue.

In addition, although these facilities are identified as Type 1 Facilities, if they are reused prior to demolition or disposal, or if surrounding activities may have generated contamination, additional investigations may be necessary to confirm they have not become contaminated. The consultative process should be utilized to identify the need for acquiring and providing the additional information if needed prior to final disposition of these facilities.

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328.

Steven H. Gunderson RFCA Project Coordinator

Steve Tower, FC, RFFO cc:


Tim Rehder, EPA

Duane Parsons, KH

Frank Gibbs, KH

Dave Shelton, KH

Administrative Records Building 850



(Must Be Machine Prepared. See Instructions on reverse.) 

Duplicate If Checked

Vehicle Ide	ntification No.			C	ertifica	te No.						
IMLP	24827MM55700	1		1	(	8315239						
Year	Make of Vehicle	· · · · · · · · · · · · · · · · · · ·	Series or N	Model			Body	Style		<u> </u>		
1991	Miller		Trail	er				Cargo.	Do	uble Axle		
Fuel	1	No. of Cylin	nders	Weight (St	hipping	)	GVWR	_		Purchase Price		
	N/A	M/A		Lin	۱k.		80	000		3500.00		
	(Accountable office, i.e., de		cy, subunit and a	· · ·	4	Transferee (	Name of de	eier, individual	, etć. (	and address including Zil	Code)	
Rack 1080	Department y Flats Fiel 8 Highway 93 en CO 80402	ld Offic I, Unit	e			Quality 16127 H Plattev	wy. 8!	5	u10	ds Engineer 1	ng,	Inc.

Oddineter Disord	suje olatement	02/07/02	
Federal Law (and State law to complete or providing a	, if applicable) requires that false statement may result i	you state the mileage upon transfer of or infines and/or imprisonment.	wrership; failure
ı, Steven	W. Slaten		state that
•	Transferor's N	ame (Seller)	i i
the odometer now reads	N/A		_ niles and to the
		ding (No Tenths)	
best of my knowledge that it r	offects the actual mileage of th	e vehicle described above, unless one of the	tollowing

Date of Statement

statement's is checked.

(1) I hereby cartify that to the best of my knowledge the adometer reading reflects the

amount of mileage in excess of its mechanical limits.

[2] I hereby certify that the odometer reading is not the actual mileage:
WARNING - ODOMETER DISCREPANCY.

Adameter Disclosure Statement

Transferor's Signature (Saller)	Printed Name (Not Typed) and Title	Date	
100 0	Seven Glaten	2//	è
Town With	DE have t Advenitates	101	0 Z_
Transferee's Signature (Duyer)	Printed Name (Not Typed) and Title	Date	
Transieres a Orginatore (Duyer)	Trinted Hadre (Hory ) pody on a Time		<u> </u>
			Ĺ
X		L	ļ

B315239

ANY ALTERATION OR ERASURE VOIDS THIS CERTIFICATE

STUDIARD POPER RY (Res. 4.41)
Prescribed by GBA THR (41 EPR) 101-45.300-3
Pedoun Edition Hel Limitals HSH 7840-00-434-404
87-108

用的是一种,我们是一个人,我们是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是